

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/584750	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/10 16:14
S2	38	(oven) and (((blow\$3 or fan \$3) with (air near4 side\$4)) same (door with open))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:16
S3	0	(oven) and ((cool\$3 near3 air) with (blow\$3 with (from near4 side)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:22
S4	24	(oven) and ((door with open) same ((air near4 side) with cool\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:23
S5	4	oven and (((cool\$3 near3 air) with flow) with side) with (door near4 open)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:27
S6	1	(oven) and (((blow\$3 or flow \$3) near4 air) with sideways) same (door near5 open)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:31
S7	2	cook\$3 and (((blow\$3 or flow\$3) near4 air) with sideways) same (door near5 open)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:32
S8	2	cook\$3 and (((blow\$3 or flow\$3) near4 air) with sideways) same (door with open)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:33
S9	9	cook\$3 and (((blow\$3 or flow\$3) near4 air) with sideways) same cool\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:34

S10	6	oven and (((blow\$3 or flow\$3) near4 air) with sidewaysame cool\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:36
S11	431	((oven or cook\$3) and (cool\$3 with (door near4 open)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:37
S12	277	((oven or cook\$3) and (cool\$3 with (door near4 open)) and (blow\$3 or fan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/10 16:38
S13	1642	((heat\$3 near4 (chamber or cavity)) and ((blow\$3 or fan) same ((air near4 (across or side)) with open\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:13
S14	1044	((heat\$3 near4 (chamber or cavity)) and ((blow\$3 or fan) with ((air near4 (across or side)) with open\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:13
S15	440	((heat\$3 near4 (chamber or cavity)) same ((blow\$3 or fan) with ((air near4 (across or side)) with open\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:14
S16	386	((heat\$3 near4 (chamber or cavity)) same ((blow\$3 or fan) with ((air near4 (across or side)) with open\$3)) and @pd<="20040107"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:15
S17	5065	((oven) and ((steam\$3 with (heat\$3 or cook\$3)) with (food or product))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:17
S18	0	((oven) and ((steam\$3 with (heat\$3 or cook\$3)) with (food or product)) and ((cool\$3 near4 air) with (open near5 door))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:18
S19	577	((oven) and ((steam\$3 with (heat\$3 or cook\$3)) with (food or product)) and (cool\$3 near4 air)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:18

S20	357	((oven) and ((steam\$3 with (heat\$3 or cook\$3)) with (food or product)) and (cool \$3 near4 air) and @pd<="20040107"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:19
S21	233	((air near4 current) with cool \$3) same (door near4 open \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:52
S22	26	((air near4 current) with cool \$3) same (door near4 open \$3) and oven	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/11 14:52
S23	3569	((oven) and ((chamber or cavity) with (cool\$3 near5 (air or flow)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 07:43
S24	1	((oven) and ((chamber or cavity) with ((cool\$3 near5 (air or flow)) with sideways))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 07:46
S25	717	((oven) and ((chamber or cavity) with (cool\$3 near5 (air or flow))) and steam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 07:47
S26	471	((oven) and ((chamber or cavity) with (cool\$3 near5 (air or flow))) and steam) and @pd<="20040107"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 07:48
S27	48	((((cool\$3 with air) with flow) with side) with (door near4 open)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 07:51
S28	6	((oven) and ((door near4 open\$3) with ((fan or blow \$3) near4 start\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:12
S29	7	((oven) and ((door with open \$3) with ((fan or blow\$3) near4 start\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:14

S30	10	("4616119" "4629850" "4804812" "4896005" "4937418" "5352873" "5512736").PN. OR ("6274859").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 08:23
S31	5456	(steam near4 oven)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:25
S32	1	(steam near4 oven) and ((horizontal or side\$3) near5 (air near4 curtain))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:26
S33	3	(steam near4 oven) and ((air near4 curtain) with cool \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:27
S34	122	(oven) and (((horizontal or side\$3) near5 (air near4 curtain))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:27
S35	19	(oven) and (((horizontal or side\$3) near5 (air near4 curtain)) same cool\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 08:28
S36	10	("20050045627" "20050092746" "20050133019" "3911893" "5387258" "5918589" "6864468" "6904904" "6967310" "7060940").PN. OR ("7368684").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 10:36
S37	195	((fan or blow\$3) near6 start \$3) with (door near4 open \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 10:38
S38	822	(126/20).ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 11:00
S39	20	("5103800" "5158064" "5401940" "5441034" "5517980" "5525782" "5619983" "5665259" "5676044" "5680810" "5694835" "5865108" "6040564").PN. OR ("6318246").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 11:07

S40	1013	(126/21a) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 11:31
S41	168	(126/198) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 12:36
S42	165	(126/287) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 12:40
S43	1336	(219/400) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 12:42
S44	300	(219/391) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 13:20
S45	157	((kaneko, fuminori) or (yamamoto, yoshikazu) or (kitaguchi, yoshikazu) or (nakatani, masato)) and (oven or cook\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/02/18 13:36
S46	357	(99/474) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 13:36
S47	17	("4173215" "4722321" "4823766" "4939987" "5120214" "5272963").PN. OR ("5694835").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 13:53
S48	1062	(126/190) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 14:19
S49	1007	(126/200) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/02/18 14:52
S50	240	(oven) and ((cool\$3 with (fan or blow\$3)) same (cool \$3 near5 circuit))	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/03/08 14:12
S51	153	(oven) and ((cool\$3 with (fan or blow\$3)) same (cool \$3 near5 circuit)) and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/03/08 14:12
S52	14	oven and ((door near5 open) same (fan with actuat \$3))	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/08/16 13:10
S53	168	oven and ((cool\$3 near5 air) same (across with opening))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/08/16 13:22
S54	22	((air with blown) with (downward\$3 or upward \$3)) with (door near4 open \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2010/08/16 13:27
S55	530	(99/468) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/08/17 11:49
S56	656	(99/476) ccls. and @pd<="20040107"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/08/17 11:51

S57	0	(steam near5 oven) same (cooling near5 curtain)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/03/09 08:46
S58	6	(steam near5 oven) same (air near5 curtain)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/03/09 08:46
S59	2055	(oven) and (air near5 curtain)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/03/09 08:47
S60	27	(oven) and ((air near5 curtain) same (outlet near5 (port or open\$3 or slit or aperture)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/03/09 08:47
S61	7	(oven) and ((air near5 sideway) with opening)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/03/09 08:54
S62	13	(oven) and ((air near5 sideway) with (blow\$3 or guid\$3 or direct\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2011/03/09 08:54
S63	761	(oven) and (steam) and (cool\$3 near5 fan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	ADJ	ON	2011/03/09 08:56
S69	0	(oven) and (steam) and ((air near5 (port or slot)) with (periphery near5 (hous\$3 or chamber)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/01 14:06
S70	1082	(oven) and (steam) and (air near5 (port or slot))	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/01 14:06
S71	1	(oven) and (steam) and (air near5 (port or slot)) same (sideway)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/01 14:06
S72	2884	((blow\$3 or flow\$3 or guid\$3) with air) same (parallel with (axis near5 rotat\$3))	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/01 14:10
S73	333	((blow\$3 or flow\$3 or guid\$3) with air) same (parallel with (axis near5 rotat\$3)) and (oven or cook\$3 or (heat\$3 near5 (chamber or cavity)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/01 14:11
S77	58	(oven near4 hous\$3) same ((side near5 (port or aperture or open\$3)) with air)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/08 10:16
S78	5	(oven near4 hous\$3) same ((side near5 (slot or slit)) with air)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/08 10:38
S79	11	(air near5 curtain) same (above near5 center) same (air with open\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2011/06/08 10:43

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S64	11	(oven) and ((air near5 curtain) same (outlet near5 (port or open\$3 or slit or aperture)))	USPAT; UPAD	ADJ	ON	2011/03/09 08:52
S65	3	(oven) and ((air near5 sideways) with opening)	USPAT; UPAD	ADJ	ON	2011/03/09 08:53
S66	5	(oven) and ((air near5 sideways) with (blow\$3 or guid\$3 or direct\$3))	USPAT; UPAD	ADJ	ON	2011/03/09 08:55
S67	376	(oven) and (steam) and (cool\$3 near5 fan)	USPAT; UPAD	ADJ	ON	2011/03/09 08:56
S68	10	("20030173348" "20050133019" "20050211696" "3517181" "5219221" "5420769" "5968397" "6093919" "6417494" "6864468").PN. OR ("7348521").URPN.	US-PGPUB; USPAT	ADJ	ON	2011/03/09 08:58
S74	857	(oven) and (steam) and (air near5 (port or slot))	US-PGPUB; USPAT; UPAD	ADJ	ON	2011/06/01 14:07
S75	183	((blow\$3 or flow\$3 or guid \$3) with air) same (parallel with (axis near5 rotat\$3)) and (oven or cook\$3 or (heat\$3 near5 (chamber or cavity)))	US-PGPUB; USPAT; UPAD	ADJ	ON	2011/06/01 14:12
S76	5	("4823767" "4924073" "5402709" "6008482" "6700101").PN. OR ("7759615").URPN.	US-PGPUB; USPAT	ADJ	ON	2011/06/01 14:52

6/ 13/ 2011 3:08:45 PM

C:\Documents and Settings\asavani\My Documents\EAST\Workspaces\10584750HtCkngApp.wsp